



# 01-PLAN VIEW




## NOMENCLATURE

CC: Car ceiling connection box


MI: Inspection control station

DRAWING	DATE	REV.	SHEET	[*] Unbounded dimensions in drawings are indicative and not binding.	
MP	2017	00	1/7	REFERENCE: MPGO!FLEXLATERAL375C_EN	
MODEL LIFT:				CLIENT:	<b>MP LIFTS</b>
<b>MP GO! FLEX</b>				WORK SITUATION:	
CAPACITY: [N° PERSONS]			5		
NOMINAL LOAD: [kg]			375		
SPEED: [m/s]			1		
FREQUENCY: [Hz]			50		
TENSION: [V]		380V [Three-phase]			

# 02-SIDE VERTICAL SECTION




SCALE[\*]: 1:80


		[*] Unbounded dimensions in drawings are indicative and not binding.		
		REFERENCE: MPGOIFLEXLATERAL375C_EN		
DRAWING		DATE	REV.	SHEET
MP		2017	00	2/7
MODEL LIFT:				
MP GO! FLEX				
CAPACITY: [N° PERSONS]		5		
NOMINAL LOAD: [kg]		375		
SPEED: [m/s]		1		
FREQUENCY: [Hz]		50		
TENSION: [V]		380V [Three-phase]		
CLIENT: WORK SITUATION:				MP LIFTS

Flat and levelled floor, protected against water leaking.  
 [EN81-20:2014 5.2.1.9]  
 Foresee pit access device  
 [EN81-20:2014 5.2.2.4]  
 Stop device  
 [EN81-20:2014 5.2.1.5.1. a)  
 Inspection control station.  
 [EN81-20:2014 5.2.1.5.1. b)  
 Power supply  
 [EN81-20:2014 5.2.1.5.1. c)  
 Light switch  
 commuted with the cabinet.  
 [EN81-20:2014 5.2.1.5.1. d)


# 04-SLAB LAYOUT




SCALE[\*]: 1:20

DRAWING	DATE	REV.	SHEET	[*] Unbounded dimensions in drawings are indicative and not binding.	
MP	2017	00	3/7	REFERENCE: MPGO!FLEXLATERAL375C_EN	
MODEL LIFT:				CLIENT:	<b>MP LIFTS</b>
<b>MP GO! FLEX</b>				WORK SITUATION:	
CAPACITY: [N° PERSONS]			5		
NOMINAL LOAD: [kg]			375		
SPEED: [m/s]			1		
FREQUENCY: [Hz]			50		
TENSION: [V]		380V [Three-phase]			


# 04B-MACHINE ROOM



Minimum machine room height: 2100 mm.  
[EN 81-20:2014 5.2.6.3.2.1]  
Minimum clearance door: 600x2000 mm.  
[EN 81-20:2014 5.2.3.2 a]

DRAWING	DATE	REV.	SHEET	[*] Unbounded dimensions in drawings are indicative and not binding.	
MP	2017	00	4/7		
MODEL LIFT:				REFERENCE:	CLIENT:
MP GO! FLEX				MPGO!FLEXLATERAL375C_EN	
CAPACITY: [N° PERSONS]			5	WORK SITUATION:	
NOMINAL LOAD: [kg]			375		
SPEED: [m/s]			1		
FREQUENCY: [Hz]			50		
TENSION: [V]			380V [Three-phase]	<b>MP LIFTS</b>	



# 05-PIT LAYOUT




REACTIONS [N] [max.]			
R2	22500		
R3	18000	R4 13200	
Sx	2750	Sy 600	


DRAWING	DATE	REV.	SHEET	[*] Unbounded dimensions in drawings are indicative and not binding.	
MP	2017	00	5/7	REFERENCE: MPGO!FLEXLATERAL375C_EN	
MODEL LIFT:				CLIENT:	<b>MP LIFTS</b>
<b>MP GO! FLEX</b>				WORK SITUATION:	
CAPACITY: [N° PERSONS]			5		
NOMINAL LOAD: [kg]			375		
SPEED: [m/s]			1		
FREQUENCY: [Hz]			50		
TENSION: [V]		380V [Three-phase]			

# 06-DOOR HOLE DETAIL




DRAWING	DATE	REV.	SHEET	[*] Unbounded dimensions in drawings are indicative and not binding.	
MP	2017	00	6/7	REFERENCE: MPGO!FLEXLATERAL375C_EN	
MODEL LIFT:				CLIENT: WORK SITUATION:	
MP GO! FLEX					
CAPACITY: [N° PERSONS]			5		
NOMINAL LOAD: [kg]			375		
SPEED: [m/s]			1		
FREQUENCY: [Hz]			50		
TENSION: [V]			380V [Three-phase]	<b>MP LIFTS</b>	

# 07-HEADROOM



SCALE[\*]: 1:25

DRAWING	DATE	REV.	SHEET	[*] Unbounded dimensions in drawings are indicative and not binding.	
MP	2017	00	7/7		
MODEL LIFT:				REFERENCE:	<p>CLIENT:</p> <p>WORK SITUATION:</p>
MP GO! FLEX				MPGO!FLEXLATERAL375C_EN	
CAPACITY: [N° PERSONS]	5			<h2>MP LIFTS</h2>	
NOMINAL LOAD: [kg]	375				
SPEED: [m/s]	1				
FREQUENCY: [Hz]	50				
TENSION: [V]	380V [Three-phase]				