




01-PLAN VIEW



DRAWING	DATE	REV.	SHEET	[*] Unbounded dimensions in drawings are indicative and not binding.	
MP	2017	00	1/10	REFERENCE: MPGO!FLEX_800NOA_FONDO_EN	
MODEL LIFT:				CLIENT:	MP LIFTS
MP GO! FLEX				WORK SITUATION:	
CAPACITY: [N° PERSONS]		10			
NOMINAL LOAD: [kg]		800			
SPEED: [m/s]		1			
FREQUENCY: [Hz]		50			
TENSION: [V]		380V [Three-phase]			

01B-PLAN VIEW



ELECTRIC CABINET:
MP ecoGO


OPTIONAL ELECTRIC CABINET:
Via Serie (385x230x2160)



SCALE[*]: 1:20

ELECTRIC CABINET Height= 2160 mm.
WORK AREA [mm]= 500x700
Cabinet located in floor level:



NOMENCLATURE

- C: Wiring channel
- CC: Car ceiling connection box
- CF: Pit box
- CL: Shaft light switch
- DOC: Operator control box
- L: Lamp
- LOB: Pushbutton control board
- MI: Inspection control station
- PT: Fixed cam
- RF: Brake resistor
- ST: Stopping device
- SC: Travelling cable support
- IP: Main switch next to the machine



DRAWING	DATE	REV.	SHEET	[*] Unbounded dimensions in drawings are indicative and not binding.	
MP	2017	00	2/10	REFERENCE: MPGO!FLEX_800NOA_FONDO_EN	
MODEL LIFT:				CLIENT: WORK SITUATION:	
MP GO! FLEX					
CAPACITY: [N° PERSONS]			10		
NOMINAL LOAD: [kg]			800		
SPEED: [m/s]			1		
FREQUENCY: [Hz]			50	MP LIFTS	
TENSION: [V]		380V [Three-phase]			

02-SIDE VERTICAL SECTION



[*] Unbounded dimensions in drawings are indicative and not binding.

REFERENCE:
MGOIFLEX_800NOA_FONDO_EN



CLIENT:
WORK SITUATION:

DRAWING	DATE	REV.	SHEET
MP	2017	00	3/10
MODEL LIFT:			
MP GO! FLEX			
CAPACITY: [N° PERSONS] 10			
NOMINAL LOAD: [kg] 800			
SPEED: [m/s] 1			
FREQUENCY: [Hz] 50			
TENSION: [V] 380V [Three-phase]			

Flat and levelled floor, protected against water leaking.
 [EN81-20:2014 5.2.1.9]
 Foresee pit access device
 [EN81-20:2014 5.2.2.4]
 Stop device
 [EN81-20:2014 5.2.1.5.1. a]
 Inspection control station.
 [EN81-20:2014 5.2.1.5.1. b]
 Power supply
 [EN81-20:2014 5.2.1.5.1. c]
 Light switch
 commuted with the cabinet.
 [EN81-20:2014 5.2.1.5.1. d]

MP LIFTS

02C-SIDE VERTICAL SECTION



[*] Unbounded dimensions in drawings are indicative and not binding.


REFERENCE:
MPGOIFLEX_800NOA_FONDO_EN

CLIENT:
WORK SITUATION:


DRAWING	DATE	REV.	SHEET
MP	2017	00	4/10
MODEL LIFT:			
MP GO! FLEX			
CAPACITY: [N° PERSONS]	10		
NOMINAL LOAD: [kg]	800		
SPEED: [m/s]	1		
FREQUENCY: [Hz]	50		
TENSION: [V]	380V [Three-phase]		

MP LIFTS


03B-FIXING DETAILS IN HEADROOM




SCALE[*]: 1:50



SCALE[*]: 1:50


DRAWING	DATE	REV.	SHEET	[*] Unbounded dimensions in drawings are indicative and not binding.	
MP	2017	00	5/10	REFERENCE: MPGO!FLEX_800NOA_FONDO_EN	
MODEL LIFT:				CLIENT:	
MP GO! FLEX				WORK SITUATION:	
CAPACITY: [N° PERSONS]			10	<h2>MP LIFTS</h2>	
NOMINAL LOAD: [kg]			800		
SPEED: [m/s]			1		
FREQUENCY: [Hz]			50		
TENSION: [V]		380V [Three-phase]			

04-BEAM AND LIFTING HOOKS




SCALE[*]: 1:15

POSITION OF REMOVABLE LIFTING HOOKS ABLE TO SUPPORT
2000 kg EACH ONE SUPPLIED BY CONSTRUCTOR
(RECOMMENDED POSITION LOADHOOKS)

DRAWING	DATE	REV.	SHEET	[*] Unbounded dimensions in drawings are indicative and not binding.	
MP	2017	00	6/10		
MODEL LIFT:				REFERENCE:	
MP GO! FLEX				MPGO!FLEX_800NOA_FONDO_EN	
CAPACITY: [N° PERSONS]				CLIENT:	
NOMINAL LOAD: [kg]				WORK SITUATION:	
SPEED: [m/s]					
FREQUENCY: [Hz]					
TENSION: [V]					MP LIFTS
380V [Three-phase]					

05-PIT LAYOUT




SCALE[*]: 1:15


REACTIONS [N] [max.]			
R2	35000		
R3	28800	R4 21000	
Sx	5500	Sy 1300	

DRAWING	DATE	REV.	SHEET	[*] Unbounded dimensions in drawings are indicative and not binding.	
MP	2017	00	7/10	REFERENCE: MPGO!FLEX_800NOA_FONDO_EN	
MODEL LIFT:				CLIENT:	MP LIFTS
MP GO! FLEX				WORK SITUATION:	
CAPACITY: [N° PERSONS]			10		
NOMINAL LOAD: [kg]			800		
SPEED: [m/s]			1		
FREQUENCY: [Hz]			50		
TENSION: [V]		380V [Three-phase]			


06-DOOR HOLE DETAIL




SCALE[*]: 1:25




SCALE[*]: 1:25

DRAWING	DATE	REV.	SHEET	[*] Unbounded dimensions in drawings are indicative and not binding.	
MP	2017	00	8/10	REFERENCE: MPGO!FLEX_800NOA_FONDO_EN	
MODEL LIFT:				CLIENT:	<p>MP LIFTS</p>
MP GO! FLEX				WORK SITUATION:	
CAPACITY: [N° PERSONS]			10		
NOMINAL LOAD: [kg]			800		
SPEED: [m/s]			1		
FREQUENCY: [Hz]			50		
TENSION: [V]			380V [Three-phase]		


06B-DOOR HOLE DETAIL




Landing 270 degrees
SCALE[*]: 1:25




Landing 270 degrees
SCALE[*]: 1:25

DRAWING	DATE	REV.	SHEET	[*] Unbounded dimensions in drawings are indicative and not binding.	
MP	2017	00	9/10		
MODEL LIFT:				REFERENCE:	
MP GO! FLEX				MPGO!FLEX_800NOA_FONDO_EN	
CAPACITY: [N° PERSONS]				CLIENT:	MP LIFTS
NOMINAL LOAD: [kg]				WORK SITUATION:	
SPEED: [m/s]					
FREQUENCY: [Hz]					
TENSION: [V]					

07-HEADROOM



SCALE[*]: 1:25

DRAWING	DATE	REV.	SHEET	[*] Unbounded dimensions in drawings are indicative and not binding.	
MP	2017	00	10/10		
MODEL LIFT:				REFERENCE:	
MP GO! FLEX				MPGO!FLEX_800NOA_FONDO_EN	
CAPACITY: [N° PERSONS]				CLIENT:	
10				WORK SITUATION:	
NOMINAL LOAD: [kg]					
800					
SPEED: [m/s]					
1					
FREQUENCY: [Hz]					
50					
TENSION: [V]					
380V [Three-phase]					
MP LIFTS					