




01-PLAN VIEW



DRAWING	DATE	REV.	SHEET	[*] Unbounded dimensions in drawings are indicative and not binding.	
MP	2017	00	1/10	REFERENCE: MPGO!FLEX_1000NOA_FONDO_EN	
MODEL LIFT:				CLIENT: WORK SITUATION:	MP LIFTS
MP GO! FLEX					
CAPACITY: [N° PERSONS]			13		
NOMINAL LOAD: [kg]			1000		
SPEED: [m/s]			1		
FREQUENCY: [Hz]			50		
TENSION: [V]		380V [Three-phase]			

01B-PLAN VIEW




SCALE[*]: 1:20

OPTIONAL ELECTRIC CABINET:
Via Serie (385x230x2160)

ELECTRIC CABINET Height= 2160 mm.
WORK AREA [mm]= 500x700
Cabinet located in floor level:

NOMENCLATURE


- C: Wiring channel
- CC: Car ceiling connection box
- CF: Pit box
- CL: Shaft light switch
- DOC: Operator control box
- L: Lamp
- LOB: Pushbutton control board
- MI: Inspection control station
- PT: Fixed cam
- RF: Brake resistor
- ST: Stopping device
- SC: Travelling cable support
- IP: Main switch next to the machine



DRAWING	DATE	REV.	SHEET
MP	2017	00	2/10
MODEL LIFT:			
MP GO! FLEX			
CAPACITY: [N° PERSONS]			13
NOMINAL LOAD: [kg]			1000
SPEED: [m/s]			1
FREQUENCY: [Hz]			50
TENSION: [V]		380V [Three-phase]	

[*] Unbounded dimensions in drawings are indicative and not binding.


REFERENCE:
MPGOIFLEX_1000NOA_FONDO_EN



CLIENT:
WORK SITUATION:

MP LIFTS

02-SIDE VERTICAL SECTION



[*] Unbounded dimensions in drawings are indicative and not binding.

REFERENCE:
MPGOIFLEX_1000NOA_FONDO_EN


CLIENT:
WORK SITUATION:

DRAWING	DATE	REV.	SHEET
MP	2017	00	3/10
MODEL LIFT:			
MP GO! FLEX			
CAPACITY: [N° PERSONS]	13		
NOMINAL LOAD: [kg]	1000		
SPEED: [m/s]	1		
FREQUENCY: [Hz]	50		
TENSION: [V]	380V [Three-phase]		

Flat and levelled floor, protected against water leaking.
 [EN81-20:2014 5.2.1.9]
 Foresee pit access device
 [EN81-20:2014 5.2.2.4]
 Stop device
 [EN81-20:2014 5.2.1.5.1. a]
 Inspection control station.
 [EN81-20:2014 5.2.1.5.1. b]
 Power supply
 [EN81-20:2014 5.2.1.5.1. c]
 Light switch
 commuted with the cabinet.
 [EN81-20:2014 5.2.1.5.1. d]

MP LIFTS

02C-SIDE VERTICAL SECTION



[*] Unbounded dimensions in drawings are indicative and not binding.

REFERENCE:

MPGOIFLEX_1000NOA_FONDO_EN


CLIENT:

WORK SITUATION:


DRAWING	DATE	REV.	SHEET
MP	2017	00	4/10
MODEL LIFT:			
MP GO! FLEX			
CAPACITY: [N° PERSONS]	13		
NOMINAL LOAD: [kg]	1000		
SPEED: [m/s]	1		
FREQUENCY: [Hz]	50		
TENSION: [V]	380V [Three-phase]		

MP LIFTS


03B-FIXING DETAILS IN HEADROOM




SCALE[*]: 1:50



SCALE[*]: 1:50


DRAWING	DATE	REV.	SHEET	[*] Unbounded dimensions in drawings are indicative and not binding.	
MP	2017	00	5/10	REFERENCE: MPGO!FLEX_1000NOA_FONDO_EN	
MODEL LIFT:				CLIENT:	
MP GO! FLEX				WORK SITUATION:	
CAPACITY: [N° PERSONS]			13	<h2>MP LIFTS</h2>	
NOMINAL LOAD: [kg]			1000		
SPEED: [m/s]			1		
FREQUENCY: [Hz]			50		
TENSION: [V]		380V [Three-phase]			

04-BEAM AND LIFTING HOOKS




SCALE[*]: 1:20

POSITION OF REMOVABLE LIFTING HOOKS ABLE TO SUPPORT
2000 kg EACH ONE SUPPLIED BY CONSTRUCTOR
(RECOMMENDED POSITION LOADHOOKS)

DRAWING	DATE	REV.	SHEET	[*] Unbounded dimensions in drawings are indicative and not binding.	
MP	2017	00	6/10	REFERENCE: MPGO!FLEX_1000NOA_FONDO_EN	
MODEL LIFT:				CLIENT: WORK SITUATION:	<p>MP LIFTS</p>
MP GO! FLEX					
CAPACITY: [N° PERSONS]			13		
NOMINAL LOAD: [kg]			1000		
SPEED: [m/s]			1		
FREQUENCY: [Hz]			50		
TENSION: [V]		380V [Three-phase]			


05-PIT LAYOUT




REACTIONS [N] [max.]			
R2	50000		
R3	21400	R4 28000	
Sx	8200	Sy 2600	


DRAWING	DATE	REV.	SHEET	[*] Unbounded dimensions in drawings are indicative and not binding.	
MP	2017	00	7/10	REFERENCE: MPGO!FLEX_1000NOA_FONDO_EN	
MODEL LIFT:				CLIENT:	
MP GO! FLEX				WORK SITUATION:	MP LIFTS
CAPACITY: [N° PERSONS]		13			
NOMINAL LOAD: [kg]		1000			
SPEED: [m/s]		1			
FREQUENCY: [Hz]		50			
TENSION: [V]		380V [Three-phase]			

06-DOOR HOLE DETAIL




DRAWING	DATE	REV.	SHEET	[*] Unbounded dimensions in drawings are indicative and not binding.	
MP	2017	00	8/10		
MODEL LIFT:				REFERENCE:	
MP GO! FLEX				MPGO!FLEX_1000NOA_FONDO_EN	
CAPACITY: [N° PERSONS]				CLIENT:	MP LIFTS
13				WORK SITUATION:	
NOMINAL LOAD: [kg]					
1000					
SPEED: [m/s]					
1					
FREQUENCY: [Hz]					
50					
TENSION: [V]					
380V [Three-phase]					


06B-DOOR HOLE DETAIL




270 degrees
SCALE[1]: 1:25




270 degrees
SCALE[1]: 1:25

DRAWING	DATE	REV.	SHEET	[1] Unbounded dimensions in drawings are indicative and not binding.	
MP	2017	00	9/10	REFERENCE: MPGO!FLEX_1000NOA_FONDO_EN	
MODEL LIFT:				CLIENT:	<p>MP LIFTS</p>
MP GO! FLEX				WORK SITUATION:	
CAPACITY: [N° PERSONS]			13		
NOMINAL LOAD: [kg]			1000		
SPEED: [m/s]			1		
FREQUENCY: [Hz]			50		
TENSION: [V]			380V [Three-phase]		

07-HEADROOM



SCALE[*]: 1:25

DRAWING	DATE	REV.	SHEET	[*] Unbounded dimensions in drawings are indicative and not binding.	
MP	2017	00	10/10	REFERENCE: MPGO!FLEX_1000NOA_FONDO_EN	
MODEL LIFT:				CLIENT:	WORK SITUATION:
MP GO! FLEX					
CAPACITY: [N° PERSONS]		13		<h2>MP LIFTS</h2>	
NOMINAL LOAD: [kg]		1000			
SPEED: [m/s]		1			
FREQUENCY: [Hz]		50			
TENSION: [V]		380V [Three-phase]			