



01-PLAN VIEW




NOMENCLATURE

CC: Car ceiling connection box
 MI: Inspection control station

SCALE[*]: 1:10

DRAWING	DATE	REV.	SHEET	[*] Unbounded dimensions in drawings are indicative and not binding.	
MP	2017	00	1/7	REFERENCE: MPGO!FLEXXLFONDO480C_EN	
MODEL LIFT:				CLIENT:	WORK SITUATION:
MP GO! FLEX XL					
CAPACITY: [N° PERSONS]			6	<h1>MP LIFTS</h1>	
NOMINAL LOAD: [kg]			480		
SPEED: [m/s]			1		
FREQUENCY: [Hz]			50		
TENSION: [V]			380V [Three-phase]		


02-SIDE VERTICAL SECTION




DRAWING		DATE		REV.	SHEET	MP	[!] Unbounded dimensions in drawings are indicative and not binding.	
		2017	00	2/7				
MODEL LIFT:		MP GO! FLEX XL					REFERENCE:	MPGO!FLEXLXFONDO480C_EN
CAPACITY: [N° PERSONS]		6					CLIENT:	
NOMINAL LOAD: [kg]		480					WORK SITUATION:	
SPEED: [m/s]		1						
FREQUENCY: [Hz]		50						
TENSION: [V]		380V [Three-phase]						
							MP LIFTS	

Flat and levelled floor, protected against water leaking.
 [EN81-20:2014 5.2.1.9]
 Foresee pit access device
 [EN81-20:2014 5.2.2.4]
 Stop device
 [EN81-20:2014 5.2.1.5.1. a]
 Inspection control station.
 [EN81-20:2014 5.2.1.5.1. b]
 Power supply
 [EN81-20:2014 5.2.1.5.1. c]
 Light switch
 commuted with the cabinet.
 [EN81-20:2014 5.2.1.5.1. d]


04-SLAB LAYOUT



SCALE[']: 1:20


DRAWING	DATE	REV.	SHEET	[*] Unbounded dimensions in drawings are indicative and not binding. REFERENCE: MPGO\FLEXXL\FONDO480C_EN	
MP	2017	00	3/7		
MODEL LIFT:				CLIENT:	WORK SITUATION:
MP GO! FLEX XL					
CAPACITY: [N° PERSONS]		6		<h2>MP LIFTS</h2>	
NOMINAL LOAD: [kg]		480			
SPEED: [m/s]		1			
FREQUENCY: [Hz]		50			
TENSION: [V]		380V [Three-phase]			

04B-MACHINE ROOM




SCALE[*]: 1:20

Minimum machine room height: 2100 mm.
 [EN 81-20:2014 5.2.6.3.2.1]
 Minimum clearance door: 600x2000 mm.
 [EN 81-20:2014 5.2.3.2 a]

DRAWING	DATE	REV.	SHEET	[*] Unbounded dimensions in drawings are indicative and not binding.	
MP	2017	00	4/7	REFERENCE: MPGO!FLEXXLFONDO480C_EN	
MODEL LIFT:				CLIENT:	WORK SITUATION:
MP GO! FLEX XL					
CAPACITY: [N° PERSONS]			6	MP LIFTS	
NOMINAL LOAD: [kg]			480		
SPEED: [m/s]			1		
FREQUENCY: [Hz]			50		
TENSION: [V]			380V [Three-phase]		

05-PIT LAYOUT




REACTIONS [N] [max.]			
R2	28200		
R3	42600	R4 16700	
Sx	3250	Sy 780	

DRAWING	DATE	REV.	SHEET
MP	2017	00	5/7
MODEL LIFT:			
MP GO! FLEX XL			
CAPACITY: [N° PERSONS]	6		
NOMINAL LOAD: [kg]	480		
SPEED: [m/s]	1		
FREQUENCY: [Hz]	50		
TENSION: [V]	380V [Three-phase]		

[*] Unbounded dimensions in drawings are indicative and not binding.



REFERENCE:
MPGO!FLEXXLFONDO480C_EN




CLIENT:
WORK SITUATION:


MP LIFTS

06-DOOR HOLE DETAIL




DRAWING	DATE	REV.	SHEET	[*] Unbounded dimensions in drawings are indicative and not binding. REFERENCE: MPGO!FLEXXLFONDO480C_EN	
MP	2017	00	6/7		
MODEL LIFT:				CLIENT:	WORK SITUATION:
MP GO! FLEX XL					
CAPACITY: [N° PERSONS]			6	<h2>MP LIFTS</h2>	
NOMINAL LOAD: [kg]			480		
SPEED: [m/s]			1		
FREQUENCY: [Hz]			50		
TENSION: [V]			380V [Three-phase]		

07-HEADROOM



SCALE[*]: 1:25

DRAWING	DATE	REV.	SHEET	[*] Unbounded dimensions in drawings are indicative and not binding. REFERENCE: MPGO!FLEXXLFONDO480C_EN	
MP	2017	00	7/7		
MODEL LIFT:				CLIENT:	WORK SITUATION:
MP GO! FLEX XL					
CAPACITY: [N° PERSONS]			6	MP LIFTS	
NOMINAL LOAD: [kg]			480		
SPEED: [m/s]			1		
FREQUENCY: [Hz]			50		
TENSION: [V]			380V [Three-phase]		