




# 01-PLAN VIEW





DRAWING	DATE	REV.	SHEET	[*] Unbounded dimensions in drawings are indicative and not binding. REFERENCE: MPHLATERAL320C_EN	
MP	2017	00	1/8		
MODEL LIFT:				CLIENT:	WORK SITUATION:
MP H					
CAPACITY: [N° PERSONS]			4	<h2>MP LIFTS</h2>	
NOMINAL LOAD: [kg]			320		
SPEED: [m/s]			0.63		
FREQUENCY: [Hz]			50		
TENSION: [V]		380V [Three-phase]			

# 01B-PLAN VIEW




## NOMENCLATURE

CC: Car ceiling connection box  
MI: Inspection control station

DRAWING	DATE	REV.	SHEET	[*] Unbounded dimensions in drawings are indicative and not binding.	
MP	2017	00	2/8	REFERENCE: MPHLATERAL320C_EN	
MODEL LIFT:				CLIENT:	
MP H				WORK SITUATION:	
CAPACITY: [N° PERSONS]			4		
NOMINAL LOAD: [kg]			320		
SPEED: [m/s]			0.63		
FREQUENCY: [Hz]			50		
TENSION: [V]		380V [Three-phase]			

# 02-SIDE VERTICAL SECTION




SCALE[\*]: 1:60


DRAWING		DATE	REV.	SHEET	MP LIFTS
MP	2017	00	3/8		
MODEL LIFT:		MP H			MP LIFTS
CAPACITY: [N° PERSONS]		4			
NOMINAL LOAD: [kg]		320			MP LIFTS
SPEED: [m/s]		0.63			
FREQUENCY: [Hz]		50			MP LIFTS
TENSION: [V]		380V [Three-phase]			
[*] Unbounded dimensions in drawings are indicative and not binding. REFERENCE: MPH LATERAL 320C_EN CLIENT: WORK SITUATION:					

Flat and levelled floor, protected against water leaking.  
 [EN81-20:2014 5.2.1.9]  
 Foresee pit access device  
 [EN81-20:2014 5.2.2.4]  
 Stop device  
 [EN81-20:2014 5.2.1.5.1. a]  
 Inspection control station.  
 [EN81-20:2014 5.2.1.5.1. b]  
 Power supply  
 [EN81-20:2014 5.2.1.5.1. c]  
 Light switch  
 commuted with the cabinet.  
 [EN81-20:2014 5.2.1.5.1. d]


# 04-BEAM AND LIFTING HOOKS

POSITION OF REMOVABLE LIFTING HOOKS ABLE TO SUPPORT  
1000 kg EACH ONE SUPPLIED BY CONSTRUCTOR  
(RECOMMENDED POSITION LOADHOOKS)



DRAWING	DATE	REV.	SHEET	[*] Unbounded dimensions in drawings are indicative and not binding.	
MP	2017	00	4/8	REFERENCE: MPHLATERAL320C_EN	
MODEL LIFT:				CLIENT:	<p><b>MP LIFTS</b></p>
<b>MP H</b>				WORK SITUATION:	
CAPACITY: [N° PERSONS]			4		
NOMINAL LOAD: [kg]			320		
SPEED: [m/s]			0.63		
FREQUENCY: [Hz]			50		
TENSION: [V]		380V [Three-phase]			


# 04B-MACHINE ROOM




Minimum machine room height: 2100 mm.  
[EN 81-20:2014 5.2.6.3.2.1]  
Minimum clearance door: 600x2000 mm.  
[EN 81-20:2014 5.2.3.2 a]

Machine room location:  
Machine room located in floor level:  
[3] Distance controller/shaft:  
Cylinder oil entrance location: 0

SCALE[\*]: 1:15


DRAWING	DATE	REV.	SHEET	[*] Unbounded dimensions in drawings are indicative and not binding.	
MP	2017	00	5/8	REFERENCE: MPHLATERAL320C_EN	
MODEL LIFT:				CLIENT: WORK SITUATION:	<p style="text-align: center; font-size: 2em; font-weight: bold;">MP LIFTS</p>
MP H					
CAPACITY: [N° PERSONS]			4		
NOMINAL LOAD: [kg]			320		
SPEED: [m/s]			0.63		
FREQUENCY: [Hz]			50		
TENSION: [V]		380V [Three-phase]			


# 05-PIT LAYOUT





SCALE[\*]: 1:10


REACTIONS [N] [max.]			
R1	30000	R2	36400
R3	15000		
Sx	3600	Sy	200




DRAWING	DATE	REV.	SHEET	[*] Unbounded dimensions in drawings are indicative and not binding. REFERENCE: MPHLATERAL320C_EN	
MP	2017	00	6/8		
MODEL LIFT:				CLIENT:	WORK SITUATION:
MP H					
CAPACITY: [N° PERSONS]		4		<b>MP LIFTS</b>	
NOMINAL LOAD: [kg]		320			
SPEED: [m/s]		0.63			
FREQUENCY: [Hz]		50			
TENSION: [V]		380V [Three-phase]			

# 06-DOOR HOLE DETAIL




DRAWING	DATE	REV.	SHEET	[*] Unbounded dimensions in drawings are indicative and not binding.	
MP	2017	00	7/8	REFERENCE: MPHLATERAL320C_EN	
MODEL LIFT:				CLIENT: WORK SITUATION:	
MP H					
CAPACITY: [N° PERSONS]			4		
NOMINAL LOAD: [kg]			320		
SPEED: [m/s]			0.63		
FREQUENCY: [Hz]			50		
TENSION: [V]			380V [Three-phase]	<b>MP LIFTS</b>	

# 07-HEADROOM



SCALE[\*]: 1:25

DRAWING	DATE	REV.	SHEET	[*] Unbounded dimensions in drawings are indicative and not binding.	
MP	2017	00	8/8		
MODEL LIFT:				REFERENCE:	
MP H				MPHLATERAL320C_EN	
CAPACITY: [N° PERSONS]				CLIENT:	
NOMINAL LOAD: [kg]				WORK SITUATION:	
SPEED: [m/s]					
FREQUENCY: [Hz]					
TENSION: [V]					
380V [Three-phase]					
					<b>MP LIFTS</b>