




01-PLAN VIEW



| | | | | | |
|------------------------|------|------|--------------------|---|---|
| DRAWING | DATE | REV. | SHEET | [*] Unbounded dimensions in drawings are indicative and not binding. REFERENCE: MPHLATERAL630C_EN |  |
| MP | 2016 | 00 | 1/8 | | |
| MODEL LIFT: | | | | CLIENT: | WORK SITUATION: |
| MP H | | | | | |
| CAPACITY: [N° PERSONS] | | | 8 | MP LIFTS | |
| NOMINAL LOAD: [kg] | | | 630 | | |
| SPEED: [m/s] | | | 0.63 | | |
| FREQUENCY: [Hz] | | | 50 | | |
| TENSION: [V] | | | 380V [Three-phase] | | |


01B-PLAN VIEW




SCALE[*]: 1:15

NOMENCLATURE

CC: Car ceiling connection box
MI: Inspection control station

| | | | | | |
|------------------------|------|------|--------------------|--|---|
| DRAWING | DATE | REV. | SHEET | [*] Unbounded dimensions in drawings are indicative and not binding. |  |
| MP | 2016 | 00 | 2/8 | REFERENCE: MPHLATERAL630C_EN | |
| MODEL LIFT: | | | | CLIENT: | WORK SITUATION: |
| MP H | | | | | |
| CAPACITY: [N° PERSONS] | | | 8 | <h1>MP LIFTS</h1> | |
| NOMINAL LOAD: [kg] | | | 630 | | |
| SPEED: [m/s] | | | 0.63 | | |
| FREQUENCY: [Hz] | | | 50 | | |
| TENSION: [V] | | | 380V [Three-phase] | | |

02-SIDE VERTICAL SECTION



SCALE[*]: 1:60


| | | | | | | | | |
|------------------------|--|--------------------|----|------|-------|----|----------|--|
| DRAWING | | DATE | | REV. | SHEET | MP | MP LIFTS | |
| | | 2016 | 00 | 00 | 3/8 | | | |
| MODEL LIFT: | | MP H | | | | | MP LIFTS | |
| CAPACITY: [N° PERSONS] | | 8 | | | | | MP LIFTS | |
| NOMINAL LOAD: [kg] | | 630 | | | | | MP LIFTS | |
| SPEED: [m/s] | | 0.63 | | | | | MP LIFTS | |
| FREQUENCY: [Hz] | | 50 | | | | | MP LIFTS | |
| TENSION: [V] | | 380V [Three-phase] | | | | | MP LIFTS | |
| REFERENCE: | | MPHLATERAL630C_EN | | | | | | |
| CLIENT: | | WORK SITUATION: | | | | | | |

[*] Unbounded dimensions in drawings are indicative and not binding.


Flat and levelled floor, protected against water leaking.
[EN81-20:2014 5.2.1.9]
Foresee pit access device
[EN81-20:2014 5.2.2.4]
Stop device
[EN81-20:2014 5.2.1.5.1. a]
Inspection control station.
[EN81-20:2014 5.2.1.5.1. b]
Power supply
[EN81-20:2014 5.2.1.5.1. c]
Light switch
commuted with the cabinet.
[EN81-20:2014 5.2.1.5.1. d]

04-BEAM AND LIFTING HOOKS


POSITION OF REMOVABLE LIFTING HOOKS ABLE TO SUPPORT
1000 kg EACH ONE SUPPLIED BY CONSTRUCTOR
(RECOMMENDED POSITION LOADHOOKS)



SCALE[*]: 1:15

| | | | | | | |
|------------------------|------|--------------------|-------|--|--|---|
| DRAWING | DATE | REV. | SHEET | [*] Unbounded dimensions in drawings are indicative and not binding. | |  |
| MP | 2016 | 00 | 4/8 | REFERENCE: MPHLATERAL630C_EN | | |
| MODEL LIFT: | | | | CLIENT: | | <p>MP LIFTS</p> |
| MP H | | | | WORK SITUATION: | | |
| CAPACITY: [N° PERSONS] | | | 8 | | | |
| NOMINAL LOAD: [kg] | | | 630 | | | |
| SPEED: [m/s] | | | 0.63 | | | |
| FREQUENCY: [Hz] | | | 50 | | | |
| TENSION: [V] | | 380V [Three-phase] | | | | |


04B-MACHINE ROOM




Minimum machine room height: 2100 mm.
[EN 81-20:2014 5.2.6.3.2.1]
Minimum clearance door: 600x2000 mm.
[EN 81-20:2014 5.2.3.2 a]

Machine room location:
Machine room located in floor level:
[3] Distance controller/shaft:
Cylinder oil entrance location: 0


SCALE[*]: 1:15


| | | | | | |
|------------------------|------|--------------------|-------|--|---|
| DRAWING | DATE | REV. | SHEET | [*] Unbounded dimensions in drawings are indicative and not binding. |  |
| MP | 2016 | 00 | 5/8 | REFERENCE: MPHLATERAL630C_EN | |
| MODEL LIFT: | | | | CLIENT: WORK SITUATION: | <p>MP LIFTS</p> |
| MP H | | | | | |
| CAPACITY: [N° PERSONS] | | | 8 | | |
| NOMINAL LOAD: [kg] | | | 630 | | |
| SPEED: [m/s] | | | 0.63 | | |
| FREQUENCY: [Hz] | | | 50 | | |
| TENSION: [V] | | 380V [Three-phase] | | | |

05-PIT LAYOUT






| REACTIONS [N] [max.] | | | |
|----------------------|-------|----|-------|
| R1 | 42000 | R2 | 24500 |
| R3 | 22000 | | |
| Sx | 4900 | Sy | 1500 |




| DRAWING | DATE | REV. | SHEET | [*] Unbounded dimensions in drawings are indicative and not binding. |  |
|------------------------|------|------|--------------------|--|---|
| MP | 2016 | 00 | 6/8 | REFERENCE: MPHLATERAL630C_EN | |
| MODEL LIFT: | | | | CLIENT: | WORK SITUATION: |
| MP H | | | | | |
| CAPACITY: [N° PERSONS] | | | 8 | <h2>MP LIFTS</h2> | |
| NOMINAL LOAD: [kg] | | | 630 | | |
| SPEED: [m/s] | | | 0.63 | | |
| FREQUENCY: [Hz] | | | 50 | | |
| TENSION: [V] | | | 380V [Three-phase] | | |

06-DOOR HOLE DETAIL




| | | | | | |
|------------------------|------|------|--------------------|--|---|
| DRAWING | DATE | REV. | SHEET | [*] Unbounded dimensions in drawings are indicative and not binding. |  |
| MP | 2016 | 00 | 7/8 | REFERENCE: MPHLATERAL630C_EN | |
| MODEL LIFT: | | | | CLIENT: |  |
| MP H | | | | WORK SITUATION: | |
| CAPACITY: [N° PERSONS] | | | 8 | | |
| NOMINAL LOAD: [kg] | | | 630 | | |
| SPEED: [m/s] | | | 0.63 | | |
| FREQUENCY: [Hz] | | | 50 | | |
| TENSION: [V] | | | 380V [Three-phase] | | |

07-HEADROOM



SCALE[*]: 1:25

| | | | | | |
|------------------------|------|--------------------|-------|--|---|
| DRAWING | DATE | REV. | SHEET | [*] Unbounded dimensions in drawings are indicative and not binding. |  |
| MP | 2016 | 00 | 8/8 | REFERENCE: MPHLATERAL630C_EN | |
| MODEL LIFT: | | | | CLIENT: | <h2>MP LIFTS</h2> |
| MP H | | | | WORK SITUATION: | |
| CAPACITY: [N° PERSONS] | | | 8 | | |
| NOMINAL LOAD: [kg] | | | 630 | | |
| SPEED: [m/s] | | | 0.63 | | |
| FREQUENCY: [Hz] | | | 50 | | |
| TENSION: [V] | | 380V [Three-phase] | | | |