




01-PLAN VIEW



SCALE[*]: 1:15

DRAWING	DATE	REV.	SHEET	[*] Unbounded dimensions in drawings are indicative and not binding. REFERENCE: MPH_MONTACAMAS_1275C_EN	
MP	2017	00	1/8		
MODEL LIFT:				CLIENT:	MP LIFTS
MP H					
CAPACITY: [N° PERSONS]			17	WORK SITUATION:	
NOMINAL LOAD: [kg]			1275		
SPEED: [m/s]			0.5		
FREQUENCY: [Hz]			50		
TENSION: [V]			380V [Three-phase]		

01B-PLAN VIEW



NOMENCLATURE

CC: Car ceiling connection box


ST: Stopping device

MI: Inspection control station

LANDING DOORS: CLASICA


CAR DOOR:
REVECO IV

SCALE[1']: 1:15

DRAWING	DATE	REV.	SHEET	[*] Unbounded dimensions in drawings are indicative and not binding.	
MP	2017	00	2/8	REFERENCE: MPH_MONTACAMAS_1275C_EN	
MODEL LIFT:				CLIENT: WORK SITUATION:	MP LIFTS
MP H					
CAPACITY: [N° PERSONS]		17			
NOMINAL LOAD: [kg]		1275			
SPEED: [m/s]		0.5			
FREQUENCY: [Hz]		50			
TENSION: [V]		380V [Three-phase]			


04-BEAM AND LIFTING HOOKS

POSITION OF REMOVABLE LIFTING HOOKS ABLE TO SUPPORT
2000 kg EACH ONE SUPPLIED BY CONSTRUCTOR
(RECOMMENDED POSITION LOADHOOKS)





SCALE[*]: 1:15

SHAFT WIDTH 1750


DRAWING	DATE	REV.	SHEET	[*] Unbounded dimensions in drawings are indicative and not binding. REFERENCE: MPH_MONTACAMAS_1275C_EN	
MP	2017	00	4/8		
MODEL LIFT:				CLIENT: WORK SITUATION:	<p style="text-align: center; font-size: 24px; font-weight: bold;">MP LIFTS</p>
MP H					
CAPACITY: [N° PERSONS]		17			
NOMINAL LOAD: [kg]		1275			
SPEED: [m/s]		0.5			
FREQUENCY: [Hz]		50			
TENSION: [V]		380V [Three-phase]			

04B-MACHINE ROOM





DRAWING	DATE	REV.	SHEET	[*] Unbounded dimensions in drawings are indicative and not binding.	
MP	2017	00	5/8	REFERENCE: MPH_MONTACAMAS_1275C_EN	
MODEL LIFT:				CLIENT: WORK SITUATION:	<p style="text-align: center; font-size: 2em; font-weight: bold;">MP LIFTS</p>
MP H					
CAPACITY: [N° PERSONS]		17			
NOMINAL LOAD: [kg]		1275			
SPEED: [m/s]		0.5			
FREQUENCY: [Hz]		50			
TENSION: [V]		380V [Three-phase]			

05-PIT LAYOUT







REACTIONS [N] [max.]			
R1	72000	R2	48000
R3	37500		
Sx	10000	Sy	3500




DRAWING	DATE	REV.	SHEET	[*] Unbounded dimensions in drawings are indicative and not binding.	
MP	2017	00	6/8	REFERENCE: MPH_MONTACAMAS_1275C_EN	
MODEL LIFT:				CLIENT:	WORK SITUATION:
MP H					
CAPACITY: [N° PERSONS]		17		<h2>MP LIFTS</h2>	
NOMINAL LOAD: [kg]		1275			
SPEED: [m/s]		0.5			
FREQUENCY: [Hz]		50			
TENSION: [V]		380V [Three-phase]			

06-DOOR HOLE DETAIL




DRAWING	DATE	REV.	SHEET	[*] Unbounded dimensions in drawings are indicative and not binding.	
MP	2017	00	7/8	REFERENCE: MPH_MONTACAMAS_1275C_EN	
MODEL LIFT:				CLIENT:	
MP H				WORK SITUATION:	
CAPACITY: [N° PERSONS]		17			
NOMINAL LOAD: [kg]		1275			
SPEED: [m/s]		0.5			
FREQUENCY: [Hz]		50			
TENSION: [V]		380V [Three-phase]		MP LIFTS	

07-HEADROOM



SCALE[*]: 1:25

DRAWING	DATE	REV.	SHEET	[*] Unbounded dimensions in drawings are indicative and not binding. REFERENCE: MPH_MONTACAMAS_1275C_EN	
MP	2017	00	8/8		
MODEL LIFT:				CLIENT:	
MP H					
CAPACITY: [N° PERSONS]			17	WORK SITUATION:	
NOMINAL LOAD: [kg]			1275		
SPEED: [m/s]			0.5		
FREQUENCY: [Hz]			50		
TENSION: [V]			380V [Three-phase]		
				MP LIFTS	