



01B-PLAN VIEW SHAFT DEPTH 5150 SHAFT WIDTH 3500 SCALE[1]: 1:30

NOMENCLATURE CC: Car ceiling connection box ST: Stopping device


MI: Inspection control station

DRAWING	DATE	REV.	SHEET	[1] Unbounded dimensions in drawings are indicative and not binding.	
MP	2017	00	2/9	REFERENCE:	
MODEL LIFT:				MPH_MONTACOCHES_3000_EN	
	MP H				
CAPACITY: [N	CAPACITY: [Nº PERSONS] 40			CLIENT: WORK SITUATION:	
NOMINAL LOA	NOMINAL LOAD: [kg] 3000		3000		
SPEED: [m/s] 0.2		0.2			
FREQUENCY: [Hz] 50		50	MP LIFTS		
TENSION: [V]	38	30V [Thr	ee-phase]	IVIP LIFTS	





04B-MACHINE ROOM




Minimum machine room height: 2100 mm. [EN 81-20:2014 5.2.6.3.2.1] Minimum clearance door: 600x2000 mm. [EN 81-20:2014 5.2.3.2 a]

Machine room location: Machine room located in floor level: [3] Distance controller/shaft: Cylinder oil entrance location: 0

DRAWING	DATE	REV.	SHEET	[1] Unbounded dimensions in drawings are indicative and not binding.	\wedge
MP	2017	00	5/9	REFERENCE:	
MODEL LIFT:				MPH_MONTACOCHES_3000_EN	
MP H					
0.4.0.4.0.177.4.17.18				CLIENT:	
CAPACITY: [No	PERSONS	5]	40	WORK SITUATION:	
NOMINAL LOA	NOMINAL LOAD: [kg] 3000				
SPEED: [m/s] 0.2		0.2			
FREQUENCY: [Hz] 50		50	MDLICTO		
TENSION: [V]	38	30V [Thi	ee-phase]	MP LIFTS	

05-PIT LAYOUT




SCALE[1]: 1:40
--------	----------


	REACTIONS [N] [max.]									
R1	Ç	Sx								
R2	64170	R3	93000							
Sx	7400	Sy	8000	¹sy						

DRAWING	DATE	REV.	SHEET	[1] Unbounded dimensions in drawings are indicative and not binding.	$\langle \rangle$
MP	2017	00	6/9	REFERENCE:	
MODEL LIFT:				MPH_MONTACOCHES_3000_EN	
MP H					
				CLIENT:	
CAPACITY: [No	PERSONS]	40	WORK SITUATION:	
NOMINAL LOA	NOMINAL LOAD: [kg] 3000		3000		
SPEED: [m/s] 0.2		0.2			
FREQUENCY: [Hz] 50		50	MP LIFTS		
TENSION: [V]	38	0V Thr	ee-phase]	IVIF LIFTS	

06-DOOR HOLE DETAIL




SCALE[1]: 1:30




DRAWING	DATE	REV.	SHEET	[1] Unbounded dimensions in drawings are indicative and not binding.	
MP	2017	00	7/9	REFERENCE:	
MODEL LIFT:				MPH_MONTACOCHES_3000_EN	
MP H				OUT IT	
CAPACITY: [N	CAPACITY: [N° PERSONS] 40		40	CLIENT: WORK SITUATION:	
NOMINAL LOA	NOMINAL LOAD: [kg] 3000		3000		
SPEED: [m/s] 0.2		0.2			
FREQUENCY: [Hz] 50		50	MP LIFTS		
TENSION: [V]	38	0V Thr	ee-phase]	IVIF LIFTS	

06B-DOOR HOLE DETAIL



180 degrees SCALE[1]: 1:30


[2] Uprights recess



180 degrees SCALE[1]: 1:30

DRAWING	DATE	REV.	SHEET	[1] Unbounded dimensions in drawings are indicative and not binding.	
MP	2017	00	8/9	REFERENCE:	
MODEL LIFT:				MPH_MONTACOCHES_3000_EN	
	MP H				
				CLIENT:	
CAPACITY: [No	PERSONS	6]	40	WORK SITUATION:	
NOMINAL LOA	.D: [kg]		3000		
SPEED: [m/s]	SPEED: [m/s] 0.2		0.2		
FREQUENCY: [Hz] 50		50	MP LIFTS		
TENSION: [V]	38	30V [Thr	ee-phase]	IVIP LIFTS	

07-HEADROOM



SCAL	F [1]	1. 4	I . 4 ^
$\sim 10^{-1}$	— I ' I	. 1	ı.VII
OOAL			ı.TU

DRAWING	DATE	REV.	SHEET	[1] Unbounded dimensions in drawings are indicative and not binding.	
MP	2017	00	9/9	REFERENCE:	
MODEL LIFT:				MPH_MONTACOCHES_3000_EN	
	MP H				
				CLIENT:	
CAPACITY: [No	PERSONS]	40	WORK SITUATION:	
NOMINAL LOA	D: [kg]	;	3000		
SPEED: [m/s] 0.2		0.2			
FREQUENCY:	[Hz]		50	MP LIFTS	
TENSION: [V]	38	OV [Thr	ee-phase]	IVIF LIFTS	