




01-PLAN VIEW




DRAWING	DATE	REV.	SHEET	[*] Unbounded dimensions in drawings are indicative and not binding.	
MP	2017	00	1/8		
MODEL LIFT:				REFERENCE:	
MP H				MPHLATERAL800S_EN	
CAPACITY: [N° PERSONS]				CLIENT:	
NOMINAL LOAD: [kg]				WORK SITUATION:	
SPEED: [m/s]					
FREQUENCY: [Hz]					
TENSION: [V]					
380V [Three-phase]					MP LIFTS

01B-PLAN VIEW




NOMENCLATURE

CC: Car ceiling connection box
MI: Inspection control station


DRAWING	DATE	REV.	SHEET	[*] Unbounded dimensions in drawings are indicative and not binding.	
MP	2017	00	2/8	REFERENCE: MPHLATERAL800S_EN	
MODEL LIFT:				CLIENT:	<p>MP LIFTS</p>
MP H				WORK SITUATION:	
CAPACITY: [N° PERSONS]			10		
NOMINAL LOAD: [kg]			800		
SPEED: [m/s]			0.63		
FREQUENCY: [Hz]			50		
TENSION: [V]		380V [Three-phase]			

02-SIDE VERTICAL SECTION




SCALE[*]: 1:60

Flat and levelled floor, protected against water leaking.
 [EN81-20:2014 5.2.1.9]
 Foresee pit access device
 [EN81-20:2014 5.2.2.4]
 Stop device
 [EN81-20:2014 5.2.1.5.1. a]
 Inspection control station.
 [EN81-20:2014 5.2.1.5.1. b]
 Power supply
 [EN81-20:2014 5.2.1.5.1. c]
 Light swicht
 commuted with the cabinet.
 [EN81-20:2014 5.2.1.5.1. d]


DRAWING		DATE	REV.	SHEET	[*] Unbounded dimensions in drawings are indicative and not binding. REFERENCE: MPHLATERAL800S_EN	
MP		2017	00	3/8		
MODEL LIFT:		MP H			CLIENT:	MP LIFTS
CAPACITY: [N° PERSONS]		10			WORK SITUATION:	
NOMINAL LOAD: [kg]		800				
SPEED: [m/s]		0.63				
FREQUENCY: [Hz]		50				
TENSION: [V]		380V [Three-phase]				

04-BEAM AND LIFTING HOOKS


POSITION OF REMOVABLE LIFTING HOOKS ABLE TO SUPPORT
2000 kg EACH ONE SUPPLIED BY CONSTRUCTOR
(RECOMMENDED POSITION LOADHOOKS)



SCALE[*]: 1:15

DRAWING	DATE	REV.	SHEET	[*] Unbounded dimensions in drawings are indicative and not binding.	
MP	2017	00	4/8	REFERENCE: MPHLATERAL800S_EN	
MODEL LIFT:				CLIENT:	WORK SITUATION:
MP H					
CAPACITY: [N° PERSONS]			10	<h2>MP LIFTS</h2>	
NOMINAL LOAD: [kg]			800		
SPEED: [m/s]			0.63		
FREQUENCY: [Hz]			50		
TENSION: [V]			380V [Three-phase]		


04B-CABINET




SCALE[*]: 1:20

CABINET:
Light switch and
Power supply
Isolator switch

WORK AREA 970 x 700
Cabinet located in floor level:
Distance controller/shaft (mm):


DRAWING	DATE	REV.	SHEET	[*] Unbounded dimensions in drawings are indicative and not binding.	
MP	2017	00	5/8	REFERENCE: MPHLATERAL800S_EN	
MODEL LIFT:				CLIENT: WORK SITUATION:	<p>MP LIFTS</p>
MP H					
CAPACITY: [N° PERSONS]			10		
NOMINAL LOAD: [kg]			800		
SPEED: [m/s]			0.63		
FREQUENCY: [Hz]			50		
TENSION: [V]		380V [Three-phase]			


05-PIT LAYOUT




SCALE[*]: 1:15


REACTIONS [N] [max.]			
R1	55000	R2	32500
R3	26000		
Sx	8000	Sy	1500




DRAWING	DATE	REV.	SHEET	[*] Unbounded dimensions in drawings are indicative and not binding.	
MP	2017	00	6/8	REFERENCE: MPHLATERAL800S_EN	
MODEL LIFT:				CLIENT:	WORK SITUATION:
MP H					
CAPACITY: [N° PERSONS]			10	<h2>MP LIFTS</h2>	
NOMINAL LOAD: [kg]			800		
SPEED: [m/s]			0.63		
FREQUENCY: [Hz]			50		
TENSION: [V]			380V [Three-phase]		

06-DOOR HOLE DETAIL




DRAWING	DATE	REV.	SHEET	[*] Unbounded dimensions in drawings are indicative and not binding.	
MP	2017	00	7/8	REFERENCE: MPHLATERAL800S_EN	
MODEL LIFT:				CLIENT: WORK SITUATION:	<p style="text-align: center; font-size: 24px; font-weight: bold;">MP LIFTS</p>
MP H					
CAPACITY: [N° PERSONS]			10		
NOMINAL LOAD: [kg]			800		
SPEED: [m/s]			0.63		
FREQUENCY: [Hz]			50		
TENSION: [V]		380V [Three-phase]			

07-HEADROOM



SCALE[*]: 1:25

DRAWING	DATE	REV.	SHEET	[*] Unbounded dimensions in drawings are indicative and not binding. REFERENCE: MPHLATERAL800S_EN	
MP	2017	00	8/8		
MODEL LIFT:				CLIENT:	WORK SITUATION:
MP H					
CAPACITY: [N° PERSONS]		10		MP LIFTS	
NOMINAL LOAD: [kg]		800			
SPEED: [m/s]		0.63			
FREQUENCY: [Hz]		50			
TENSION: [V]		380V [Three-phase]			