




01-PLAN VIEW




DRAWING	DATE	REV.	SHEET	[*] Unbounded dimensions in drawings are indicative and not binding.	
MP	2017	00	1/8		
MODEL LIFT:				REFERENCE:	
MP H				MPHLATERAL480S_EN	
CAPACITY: [N° PERSONS]				6	CLIENT:
NOMINAL LOAD: [kg]				480	WORK SITUATION:
SPEED: [m/s]				0.63	
FREQUENCY: [Hz]				50	
TENSION: [V]				380V [Three-phase]	MP LIFTS

01B-PLAN VIEW




NOMENCLATURE
 CC: Car ceiling connection box
 MI: Inspection control station

SCALE[*]: 1:10

DRAWING	DATE	REV.	SHEET	[*] Unbounded dimensions in drawings are indicative and not binding.	
MP	2017	00	2/8		
MODEL LIFT:				REFERENCE:	CLIENT:
MP H				MPLATERAL480S_EN	
CAPACITY: [N° PERSONS]			6	WORK SITUATION:	
NOMINAL LOAD: [kg]			480		
SPEED: [m/s]			0.63		
FREQUENCY: [Hz]			50		
TENSION: [V]			380V [Three-phase]	MP LIFTS	

02-SIDE VERTICAL SECTION




SCALE[*]: 1:60

Flat and levelled floor, protected against water leaking.
 [EN81-20:2014 5.2.1.9]
 Foresee pit access device
 [EN81-20:2014 5.2.2.4]
 Stop device
 [EN81-20:2014 5.2.1.5.1. a]
 Inspection control station.
 [EN81-20:2014 5.2.1.5.1. b]
 Power supply
 [EN81-20:2014 5.2.1.5.1. c]
 Light swicht
 commuted with the cabinet.
 [EN81-20:2014 5.2.1.5.1. d]


DRAWING		DATE		REV.	SHEET	[*] Unbounded dimensions in drawings are indicative and not binding.	MP	
		MP	2017	00	3/8			
MODEL LIFT:		MP H					REFERENCE:	MPHLATERAL480S_EN
CAPACITY: [N° PERSONS]		6					CLIENT:	
NOMINAL LOAD: [kg]		480					WORK SITUATION:	
SPEED: [m/s]		0.63						
FREQUENCY: [Hz]		50						
TENSION: [V]		380V [Three-phase]						
							MP LIFTS	

04-BEAM AND LIFTING HOOKS


POSITION OF REMOVABLE LIFTING HOOKS ABLE TO SUPPORT
1000 kg EACH ONE SUPPLIED BY CONSTRUCTOR
(RECOMMENDED POSITION LOADHOOKS)



SCALE[*]: 1:10


DRAWING	DATE	REV.	SHEET	[*] Unbounded dimensions in drawings are indicative and not binding. REFERENCE: MPHLATERAL480S_EN	
MP	2017	00	4/8		
MODEL LIFT:				CLIENT:	WORK SITUATION:
MP H					
CAPACITY: [N° PERSONS]			6	<h2>MP LIFTS</h2>	
NOMINAL LOAD: [kg]			480		
SPEED: [m/s]			0.63		
FREQUENCY: [Hz]			50		
TENSION: [V]			380V [Three-phase]		

04B-CABINET




SCALE[*]: 1:15

WORK AREA 800 x 700
Cabinet located in floor level:
Distance controller/shaft (mm):


DRAWING	DATE	REV.	SHEET	[*] Unbounded dimensions in drawings are indicative and not binding.	
MP	2017	00	5/8		
MODEL LIFT:				REFERENCE:	CLIENT:
MP H				MPLATERAL480S_EN	
CAPACITY: [N° PERSONS]				6	WORK SITUATION:
NOMINAL LOAD: [kg]				480	
SPEED: [m/s]				0.63	
FREQUENCY: [Hz]				50	
TENSION: [V]				380V [Three-phase]	
MP LIFTS					

05-PIT LAYOUT



SCALE[*]: 1:10

REACTIONS [N] [max.]			
R1	34000	R2	22000
R3	18000		
Sx	4100	Sy	1300



DRAWING	DATE	REV.	SHEET
MP	2017	00	6/8
MODEL LIFT:			
MP H			
CAPACITY: [N° PERSONS]			6
NOMINAL LOAD: [kg]			480
SPEED: [m/s]			0.63
FREQUENCY: [Hz]			50
TENSION: [V]		380V [Three-phase]	

[*] Unbounded dimensions in drawings are indicative and not binding.



REFERENCE:
MPHLATERAL480S_EN




CLIENT:
WORK SITUATION:


MP LIFTS

06-DOOR HOLE DETAIL




DRAWING	DATE	REV.	SHEET	[*] Unbounded dimensions in drawings are indicative and not binding.	
MP	2017	00	7/8	REFERENCE: MPHLATERAL480S_EN	
MODEL LIFT:				CLIENT:	<p>MP LIFTS</p>
MP H				WORK SITUATION:	
CAPACITY: [N° PERSONS]			6		
NOMINAL LOAD: [kg]			480		
SPEED: [m/s]			0.63		
FREQUENCY: [Hz]			50		
TENSION: [V]		380V [Three-phase]			

07-HEADROOM



SCALE[*]: 1:25

DRAWING	DATE	REV.	SHEET	[*] Unbounded dimensions in drawings are indicative and not binding.	
MP	2017	00	8/8		
MODEL LIFT:				REFERENCE:	<p>CLIENT:</p> <p>WORK SITUATION:</p>
MP H				MPLATERAL480S_EN	
CAPACITY: [N° PERSONS]			6	<h2>MP LIFTS</h2>	
NOMINAL LOAD: [kg]			480		
SPEED: [m/s]			0.63		
FREQUENCY: [Hz]			50		
TENSION: [V]			380V [Three-phase]		