




01-PLAN VIEW




DRAWING	DATE	REV.	SHEET	[*] Unbounded dimensions in drawings are indicative and not binding.	
MP	2017	00	1/8	REFERENCE: MPHLATERAL630S_EN	
MODEL LIFT:				CLIENT:	MP LIFTS
MP H				WORK SITUATION:	
CAPACITY: [N° PERSONS]			8		
NOMINAL LOAD: [kg]			630		
SPEED: [m/s]			0.63		
FREQUENCY: [Hz]			50		
TENSION: [V]		380V [Three-phase]			

01B-PLAN VIEW




NOMENCLATURE

CC: Car ceiling connection box
MI: Inspection control station

DRAWING	DATE	REV.	SHEET	[*] Unbounded dimensions in drawings are indicative and not binding.	
MP	2017	00	2/8	REFERENCE: MPHLATERAL630S_EN	
MODEL LIFT:				CLIENT:	WORK SITUATION:
MP H					
CAPACITY: [N° PERSONS]			8	<h2>MP LIFTS</h2>	
NOMINAL LOAD: [kg]			630		
SPEED: [m/s]			0.63		
FREQUENCY: [Hz]			50		
TENSION: [V]			380V [Three-phase]		


02-SIDE VERTICAL SECTION



SCALE[*]: 1:60


Flat and levelled floor, protected against water leaking.
 [EN81-20:2014 5.2.1.9]
 Foresee pit access device
 [EN81-20:2014 5.2.2.4]
 Stop device
 [EN81-20:2014 5.2.1.5.1. a]
 Inspection control station.
 [EN81-20:2014 5.2.1.5.1. b]
 Power supply
 [EN81-20:2014 5.2.1.5.1. c]
 Light swicht
 commuted with the cabinet.
 [EN81-20:2014 5.2.1.5.1. d]


DRAWING		DATE	REV.	SHEET	[*] Unbounded dimensions in drawings are indicative and not binding.
MP	2017	00	3/8	REFERENCE: MPHLATERAL630S_EN	
MODEL LIFT:		MP H			CLIENT: WORK SITUATION:
CAPACITY: [N° PERSONS]		8			
NOMINAL LOAD: [kg]		630			
SPEED: [m/s]		0.63			
FREQUENCY: [Hz]		50			
TENSION: [V]		380V [Three-phase]			MP LIFTS




04-BEAM AND LIFTING HOOKS

POSITION OF REMOVABLE LIFTING HOOKS ABLE TO SUPPORT
1000 kg EACH ONE SUPPLIED BY CONSTRUCTOR
(RECOMMENDED POSITION LOADHOOKS)



DRAWING	DATE	REV.	SHEET	[*] Unbounded dimensions in drawings are indicative and not binding.	
MP	2017	00	4/8	REFERENCE: MPHLATERAL630S_EN	
MODEL LIFT:				CLIENT:	WORK SITUATION:
MP H					
CAPACITY: [N° PERSONS]			8	<h2>MP LIFTS</h2>	
NOMINAL LOAD: [kg]			630		
SPEED: [m/s]			0.63		
FREQUENCY: [Hz]			50		
TENSION: [V]			380V [Three-phase]		


04B-CABINET




SCALE[*]: 1:15

CABINET:
Light switch and
Power supply
Isolator switch


WORK AREA 800 x 700
Cabinet located in floor level:
Distance controller/shaft (mm):


DRAWING	DATE	REV.	SHEET	[*] Unbounded dimensions in drawings are indicative and not binding.	
MP	2017	00	5/8	REFERENCE: MPHLATERAL630S_EN	
MODEL LIFT:				CLIENT: WORK SITUATION:	
MP H					
CAPACITY: [N° PERSONS]			8		
NOMINAL LOAD: [kg]			630		
SPEED: [m/s]			0.63		
FREQUENCY: [Hz]			50		
TENSION: [V]			380V [Three-phase]	MP LIFTS	

05-PIT LAYOUT





REACTIONS [N] [max.]			
R1	42000	R2	24500
R3	22000		
Sx	4900	Sy	1500




DRAWING	DATE	REV.	SHEET	[*] Unbounded dimensions in drawings are indicative and not binding.	
MP	2017	00	6/8	REFERENCE: MPHLATERAL630S_EN	
MODEL LIFT:				CLIENT:	WORK SITUATION:
MP H					
CAPACITY: [N° PERSONS]			8	<h2>MP LIFTS</h2>	
NOMINAL LOAD: [kg]			630		
SPEED: [m/s]			0.63		
FREQUENCY: [Hz]			50		
TENSION: [V]			380V [Three-phase]		

06-DOOR HOLE DETAIL




DRAWING	DATE	REV.	SHEET	[*] Unbounded dimensions in drawings are indicative and not binding.	
MP	2017	00	7/8	REFERENCE: MPHLATERAL630S_EN	
MODEL LIFT:				CLIENT: WORK SITUATION:	
MP H					
CAPACITY: [N° PERSONS]			8		
NOMINAL LOAD: [kg]			630		
SPEED: [m/s]			0.63		
FREQUENCY: [Hz]			50		
TENSION: [V]		380V [Three-phase]		MP LIFTS	

07-HEADROOM



SCALE[*]: 1:25

DRAWING	DATE	REV.	SHEET	[*] Unbounded dimensions in drawings are indicative and not binding.	
MP	2017	00	8/8	REFERENCE: MPHLATERAL630S_EN	
MODEL LIFT:				CLIENT:	<p>MP LIFTS</p>
MP H				WORK SITUATION:	
CAPACITY: [N° PERSONS]			8		
NOMINAL LOAD: [kg]			630		
SPEED: [m/s]			0.63		
FREQUENCY: [Hz]			50		
TENSION: [V]		380V [Three-phase]			