



# PLAN VIEW


SCALE[\*]: 1:20

The plan shows the recommended shaft dimensions.  
For minimum dimensions, the shaft width can be reduced by 100mm

F-1-602.rev.4

DRAWING	DATE	REV.	[*] Unbounded dimensions in drawings are indicative and not binding.		SHEET
MP	2011	0			1/5
MODEL LIFT:			REFERENCE:		
MP610GO!					
CAPACITY: [N° PERSONS]			CLIENT:		
NOMINAL LOAD: [kg]			WORK SITUATION:		
SPEED: [m/s]					
STOPS: [N°]					
FREQUENCY: [Hz]					
TENSION: [V]					
TRIFASICO.380V					

# SIDE VERTICAL SECTION




SCALE[\*]: 1:80

Flat and levelled floor, protected against water leaking.  
 (EN81-1:98, 5.7.3.1)  
 Foresee pit access device.  
 (EN81-1:98, 5.7.3.2)  
 Stop device.  
 (EN81-1:98, 5.7.3.4)  
 Power supply.  
 (EN81-1:98, 5.7.3.4)  
 Light switch commuted with the cabinet.  
 (EN81-1:98, 5.7.3.4)  
 Telephone jack (except Fonotec)  
 (EN81-1:98, 5.10)


F-1-602.rev.4

DRAWING	DATE	REV.	[*] Unbounded dimensions in drawings are indicative and not binding.	
MP	2011	0	SHEET	2/5
MODEL LIFT:	REFERENCE:			
MP610GO!	.			
CAPACITY: [N° PERSONS]	5		CLIENT:	.
NOMINAL LOAD: [kg]	375		WORK SITUATION:	.
SPEED: [m/s]	1			
STOPS: [N°]	6			
FREQUENCY: [Hz]	50			
TENSION: [V]	TRIFASICO.380V			



MP

POSITION OF REMOVABLE LIFTING HOOKS  
 ABLE TO SUPPORT  
 1000 Kg. EACH ONE  
 SUPPLIED BY CONSTRUCTOR



## BEAM AND LIFTING HOOKS


SCALE[\*]: 1:20

F-1-602.rev.4

DRAWING	DATE	REV.	[*] Unbounded dimensions in drawings are indicative and not binding.		SHEET
MP	2011	0	REFERENCE:		3/5
MODEL LIFT:			CLIENT:		
MP610GO!					
CAPACITY: [N° PERSONS]			WORK SITUATION:		
NOMINAL LOAD: [kg]					
SPEED: [m/s]					
STOPS: [N°]					
FREQUENCY: [Hz]					
TENSION: [V]					
TRIFASICO.380V			MP		




R1:15000 N  
 R1':15000 N  
 R2:15000 N  
 R2':16000 N  
 R3:55000 N  
 R4:46000 N  
 N:1000 N  
 T:500 N





## PIT LAYOUT

SCALE[1]: 1:20

F-1-602.rev.4


DRAWING	DATE	REV.	[*] Unbounded dimensions in drawings are indicative and not binding.		SHEET		
MP	2011	0	REFERENCE:		4/5		
MODEL LIFT:							
MP610GO!							
CAPACITY: [N° PERSONS]		5				CLIENT:	
NOMINAL LOAD: [kg]		375				WORK SITUATION:	
SPEED: [m/s]		1					
STOPS: [N°]		6					
FREQUENCY: [Hz]		50	<h1>MP</h1>				
TENSION: [V]							
TRIFASICO.380V							



# DOOR HOLE DETAIL

SCALE[\*]: 1:35

F-1-602.rev.4

DRAWING	DATE	REV.	[*] Unbounded dimensions in drawings are indicative and not binding.		SHEET		
MP	2011	0	REFERENCE:		5/5		
MODEL LIFT:							
MP610GO!							
CAPACITY: [N° PERSONS]		5				CLIENT:	
NOMINAL LOAD: [kg]		375				WORK SITUATION:	
SPEED: [m/s]		1				.	
STOPS: [N°]		6				.	
FREQUENCY: [Hz]		50	<h1>MP</h1>				
TENSION: [V]							
TRIFASICO.380V							