



Flat and levelled floor, protected against water leaking.
[EN81-20:2014 5.2.1.9]
Foresee pit access device
[EN81-20:2014 5.2.2.4]
Stop device
[EN81-20:2014 5.2.1.5.1. a]
Inspection control station.
[EN81-20:2014 5.2.1.5.1. b]
Power supply
[EN81-20:2014 5.2.1.5.1. c]
Light swicht
commuted with the cabinet.
[EN81-20:2014 5.2.1.5.1. d]

04-SLAB LAYOUT



DRAWING	DATE	REV.	SHEET	[1] Unbounded dimensions in drawings are indicative and not binding.	\Diamond
MP	2017	00	3/7	REFERENCE:	
MODEL LIFT:				MPGO!FLEXXLLATERAL480C_EN	
MP GO! FLEX XL					Ш
CAPACITY: [N° PERSONS] 6			6	CLIENT: WORK SITUATION:	
NOMINAL LOA	D: [kg]		480		
SPEED: [m/s]			1		
FREQUENCY: [Hz] 50		50	MP LIFTS		
TENSION: [V]	38	30V [Thi	ee-phase]	IVIF LIFTS	


04B-MACHINE ROOM




SCALE[1]: 1:20


Minimum machine room height: 2100 mm. [EN 81-20:2014 5.2.6.3.2.1] Minimum clearance door: 600x2000 mm. [EN 81-20:2014 5.2.3.2 a]

DRAWING	DATE	REV.	SHEET	[1] Unbounded dimensions in drawings are indicative and not binding.	\Diamond
MP	2017	00	4/7	REFERENCE:	
MODEL LIFT:				MPGO!FLEXXLLATERAL480C_EN	
MP GO! FLEX XL					Ш
CAPACITY: [N° PERSONS] 6			6	CLIENT: WORK SITUATION:	
NOMINAL LOA	D: [kg]		480		
SPEED: [m/s]			1		
FREQUENCY: [Hz] 50		50	MP LIFTS		
TENSION: [V]	38	30V [Thi	ee-phase]	IVIF LIFTS	





07-HEADROOM



DRAWING	DATE	REV.	SHEET	[1] Unbounded dimensions in drawings are indicative and not binding.	$\langle \rangle$
MP	2017	00	7/7	REFERENCE:	
MODEL LIFT:				MPGO!FLEXXLLATERAL480C_EN	
MP GO! FLEX XL					
CAPACITY: [N° PERSONS] 6			6	CLIENT: WORK SITUATION:	
NOMINAL LOA	D: [kg]		480		
SPEED: [m/s]			1		
FREQUENCY: [Hz] 50		50	MP LIFTS		
TENSION: [V]	38	30V [Thi	ee-phase]	IVIFLIFIS	